

# Hyw 20 M5 Himoina

## [eBooks] Hyw 20 M5 Himoina

Eventually, you will agreed discover a other experience and achievement by spending more cash. still when? realize you take on that you require to acquire those all needs when having significantly cash? Why dont you attempt to acquire something basic in the beginning? Thats something that will guide you to understand even more on the order of the globe, experience, some places, taking into account history, amusement, and a lot more?

It is your no question own get older to put-on reviewing habit. in the middle of guides you could enjoy now is [Hyw 20 M5 Himoina](#) below.

### Hyw 20 M5 Himoina

#### **HYW-20 M5**

Generating Rates Power kVA 16,5 17,7 Power kW 13,2 14,2 Rated Speed rpm 1500 Standard Voltage V 230/115 Rated at power factor Cos Phi 0,8  
SERVICE PRP STANDBY M O D E L

#### **HYW-20 M5 (YANMAR 4TNV88BGGEH)**

HIMOINSA Company with quality certification ISO 9001 HIMOINSA gensets are compliant with EC mark which includes the following directives: 2006/42/CE Machinery safety 2014/30/UE Electromagnetic compatibility HYW-20 M5 INDUSTRIAL RANGE Standard soundproofing Powered by YANMAR

#### **HYW-25 M5 (YANMAR 4TNV84TBGGEH)**

HYW-2 M5 INDUSTRIAL RANGE SINGLE PHASE 50 HZ STAGE 3A DIESEL HIMOINSA Company with quality certification ISO 9001 HIMOINSA gensets are compliant with EC mark which includes the following directives: 2006/42/CE Machinery safety Tel+34 968 19 11 28 Fax +34 968 19 12 17 Fax +34 968 19 04 20 info@himoinsacom wwwhimoinsacom

#### **HYW-20 T5 - Eincar**

HYW-20 T5 INDUSTRIAL RANGE Standard soundproofing Tel+34 968 19 11 28 Fax +34 968 19 12 17 Fax +34 968 19 04 20 info@himoinsacom wwwhimoinsacom Manufacture facilities: M5 Digital manual Auto-Start control panel and thermal magnetic protection (depending on current and

#### **Model: HYW-20 T5HYW-20 T5 - Pols Aggregaten**

Tel+34 968 19 11 28 Fax +34 968 19 12 17 Fax +34 968 19 04 20 info@himoinsacom wwwhimoinsacom Manufacture facilities: SPAIN • FRANCE • INDIA • CHINA • USA Subsidiaries: Auto-start M5 CEM7 Automatic Control Panel Without Mains Control AS5 CEM7\*\* HYW-20 T5HYW-20 T5 INDUSTRIAL RANGE Soundproof Powered by YANMAR

#### **HYW-20 M5 - Generatoare de Curent Vanzari**

Rate de generare Putere kVA 16,5 17,7 Putere kW 13,2 14,2 Turaie nominal rpm 1500 Tensiune standard V 230/115 Factor de putere Cos Phi 0,8  
SERVICE PRP STANDBY M O D E L

#### **HYW-25 M5 - genset.vn**

Generating Rates Power kVA 19,5 21 Power kW 15,6 17,1 Rated Speed rpm 1500 Standard Voltage V 230/115 Rated at power factor Cos Phi 0,8  
SERVICE PRP STANDBY M O D E L

#### **K2 WATER-COOLED THREE PHASE 50 HZ STAGE 3A DIESEL**

Power kVA 20 22 Power kW 16,2 17,7 Rated Speed rpm 1500 Standard Voltage V 400 Available Voltages V 400/230 - 230/132 - 230 V Rated at power factor Cos Phi 0,8 SERVICE PRP STANDBY Model: HYW-20 T5HYW-20 T5 INDUSTRIAL RANGE Open Skid Powered by YANMAR K2 WATER-COOLED THREE PHASE 50 HZ STAGE 3A DIESEL

#### **HYW-9 M5**

HYW-9 M5 GAM INDUSTRIAL Static standard Fax: +34 968 19 12 17 | Export Fax +34 968 19 04 20 | E-mail:info@himoinsacom | wwwhimoinsacom  
01 K1 RCIT CU AP MONOFAZAT 50 HZ MOTORIN HIMOINSA Company with quality certification ISO 9001 HIMOINSA gensets are compliant with EC mark which includes the following directives:

#### **HYW-13 M5**

Generating Rates Power kVA 11,9 12,8 Power kW 9,5 10,3 Rated Speed rpm 1500 Standard Voltage V 230/115 Rated at power factor Cos Phi 0,8  
SERVICE PRP STANDBY M O D E L

#### **HYW-45 T5 - MW Generators**

HYW-45 T5 INDUSTRIAL RANGE Standard soundproofing Tel+34 968 19 11 28 Fax +34 968 19 12 17 Fax +34 968 19 04 20 info@himoinsacom  
wwwhimoinsacom Export Fax +34 968 19 04 20 | E-mail:info@himoinsacom | wwwhimoinsacom 06 M5 Digital manual Auto-Start control panel and thermal magnetic protection (depending on current and

#### **CE - Power Systems Australia**

Generator Ratings Power kVA 13,1 14 Power kW 13,1 14 Rated Speed rpm 1500 Standard Voltage V Available Voltages V Rated at power factor Cos Phi 1,0

#### **HYW-30 M5**

HYW-30 M5 INDUSTRIAL RANGE Soundproof Fax: +34 968 19 12 17 | Export Fax +34 968 19 04 20 | E-mail:info@himoinsacom | wwwhimoinsacom  
01 B10 WATER-COOLED SINGLE PHASE 50 HZ STAGE 2 DIESEL HIMOINSA Company with quality certification ISO 9001 HIMOINSA gensets are compliant with EC mark which includes the following directives:

#### **HYW-40 M5**

HYW-40 M5 INDUSTRIAL RANGE Soundproof Fax: +34 968 19 12 17 | Export Fax +34 968 19 04 20 | E-mail:info@himoinsacom | wwwhimoinsacom  
01 B10 WATER-COOLED SINGLE PHASE 50 HZ STAGE 2 DIESEL HIMOINSA Company with quality certification ISO 9001 HIMOINSA gensets are compliant with EC mark which includes the following directives:

#### **Model: HYW-5 M5HYW-5 M5 - Himoina Diesel Generators ...**

Generating Rates Power kVA 4,9 5,5 Power kW 4 4,4 Rated Speed rpm 1500 Standard Voltage V 230 Available Voltages V 230/115 V Rated at power factor Cos Phi 0,8

---

**HYW-13M5.pdf-email 1 B - Power Systems Australia**

Himoinsa reserves the right to modify any characteristic without prior notice Weights and dimensions based on standard products Illustrations may include optional equipment

**HYW-20 T5 - Stemas Maskinsalg**

HYW-20 T5 INDUSTRIEL SERIE Lydisoleret Tel+34 968 19 11 28 Fax +34 968 19 12 17 Fax +34 968 19 04 20 info@himoinsacom wwwhimoinsacom  
Manufacture facilities: M5 Digitale manuelt Auto-Start styrepanel og termomagnetisk beskyttelse (afhængig af strøm og spænding)

**HYW-9 M5 - Pols Aggregaten**

HYW-9 M5 INDUSTRIAL RANGE Powered by YANMAR SERVICE PRP ESP POWER kVA 7,5 8,3 POWER kW 6 6,6 RATED SPEED rpm 1500  
STANDARD VOLTAGE V 230 V (m) RATED AT POWER FACTOR Cos Phi 0,8 INDUSTRIAL RANGE STANDARD SOUNDPROOFING HIMOINSA  
Company with quality certification ISO 9001 HIMOINSA gensets are compliant with EC mark which includes the ...

**HYW-40 M5 (YANMAR 4TNV98TZGGEHR)**

HYW-40 M5 INDUSTRIAL RANGE SINGLE PHASE 50 HZ STAGE 3A DIESEL HIMOINSA Company with quality certification ISO 9001 HIMOINSA  
gensets are compliant with EC mark which includes the following directives: 2006/42/CE Machinery safety Tel+34 968 19 11 28 Fax +34 968 19 12  
17 Fax +34 968 19 04 20 info@himoinsacom wwwhimoinsacom